




Displays

**19" display ■ IndraControl VDP 60**

Documentation  
Project Planning  
Manual


**Technical data**

		VDP 60.3 FE
<b>Display</b>		
Type		TFT
Size		48.3 cm (19")
Colors/gray tones		16 Mio
		Colors
Resolution		1280 x 1024
<b>Operation</b>		
Type		touch operation
Keyboard		Additional components VAK
Status-LED		Voltage
		Hard disk
		Temperature
		UPS
<b>Interfaces</b>		
USB		4 x USB
		1 x USB Front
Other		1 x CDI interface – connection IPC to display
<b>Electrical data</b>		
Supply voltage	U	24 V DC
Min.	U min	19 V DC
Max.	U max	30 V DC
Power consumption	[W]	40
<b>Protection</b>		
Category at front		IP65
<b>Other</b>		
Colors		Light-grey RAL 7035
<b>Load</b>		

Displays

**19" display ■ IndraControl VDP 60**

Vibration resistance	[g]	1
		1 g
Shock resistance	[g]	15
		15 g
<b>Norms and standards</b>		
Certification		CE
<b>Ambient conditions</b>		
Permissible temperature (operation)		+5 °C ... +45 °C
Permissible relative humidity (operation)		5 % ... 85 %, EN 61131-2
<b>Weight</b>		
Weight	[kg]	7.3
		7.3 kg

**Dimensions**

		VDP 60.3 FE
<b>Dimensions</b>		
Height H	[mm]	400
Width B	[mm]	483
Depth T	[mm]	62

**Ordering information**

Type code	Description	Part number:
VDP60.3FEN-D1-NN-NN	IndraControl VDP 60 with 48.3 cm (19") display, touch screen	R911171737

Displays

**19" display ■ IndraControl VDP 60**

---

Type code	Description	Part number:
DOK-SUPPL*-VDP*XX.3***-PR01-EN-P	IndraControl VDP project planning manual	R911323862
DOK-SUPPL*-VDP*XX.3***-PR03-DE-P	IndraControl VDP project planning manual	R911323861

**Bosch Rexroth AG**

Postfach 13 57  
97803 Lohr, Germany  
Bgm.-Dr.-Nebel-Str. 2  
97816 Lohr, Germany  
Tel. +49 9352 18-0  
Fax +49 9352 18-8400  
[www.boschrexroth.com/electrics](http://www.boschrexroth.com/electrics)

**Local contact information can be found at:**

[www.boschrexroth.com/adressen](http://www.boschrexroth.com/adressen)

The data specified above only serve to describe the product. As our products are constantly being further developed, no statements concerning a certain condition or suitability for a certain application can be derived from our information. The information given does not release the user from the obligation of own judgment and verification.

It must be remembered that our products are subject to a natural process of wear and aging.